



C



m f lmkMak lahe Chen	O ra	O 60 B 6-f M,6 . °C	.)	. 1	/ .	O	
he rhk f lmk nrh kkgm	B L	O 6))OO 6)OM,6 . °C)	f	
he rhk f lmk L mk rhg Chen	O i m	B60. O 6 . OM,6 . °C			,)	O	
		B60. O 6 . OM,6 . °C			, 1		
Bj m i lmg	bl	O 6 . OO 6)O			.	g	
K k Mk gl k i lmg	kl	6 FA M,6 . °C) -	g	
m f lmked kkgm	B L	O 6) O O 6)OM,6 . °C			-))	g	
Mk hg = e Mf	m _{hg}				0)	gl	
Kb Mf	m	B 60.			. 0	gl	
Mk h = e Mf	m _h	O 6 /)) O			.	gl	
	m	O 6 . O			0	gl	
g k = bl b rhg = kg	hg	K HG 6)					
Mk hg Mf	hg	K H 6 .			0	f C	
g k = bl b rhg = kg	h	M,6 . °C					
Mk h Mf	h				1	f C	
Mk hg = e Mf	m _{hg}				1)	gl	
Kb Mf	m	B 60.			/ .	gl	
Mk h = e Mf	m _h	O 6 /)) O			1.	gl	
	m	O 6 . O			,	gl	
g k = bl b rhg = kg	hg	K HG 6)					
Mk hg Mf	hg	K H 6 .) .	f C	
g k = bl b rhg = kg	h	M,6 . °C					
Mk h Mf	h				1	f C	
L = m	B	M) O 6 . OM,6 . °C			. ,)		
		O 6 /)) OO F))O					

K i r t o l d K k Chen	O _{KKF}	M,6 . °C)	O
h g t h l = h k k k k gm	B		0.	
K i r t o l d h k k k k gm	B _{KF}	m6 f l	.)	

h k k Chen	O	B60. M,6 . °C	2	,	O
		B60. M,6 . °C)		
K h k a k	J _k	B 60.	-)		
I d K K K h k k k gm	B _k	O _{k6/))O}	..		
		b(m62.) (I			
K K K h k g k	k	M,6 . °C	/		C
K h k a k	J _k	B 60.	01		
I d K K K h k k k gm	B _k	O _{k6/))O}	1)		
		b(m62.) (I			
K K K h k g k	k	M,6 . °C	, 1		C

Bhering hen	O_{he}	rd f lg 6.) A	.))					0
F f lf Clg rthg Mfi kmk □	M_f					.)		°C
Hi kmg Clg rthg Mfi kmk	M_{chi}		-)			.		°C
Lmk M i kmk	M_m		-)			.		°C
Ma k feK bmg Clg rthg m l	K_{eC}	i kB M i k=th						D(P
Ma k feK bmg l m Lg	K_{eL}	hg rd k l i i d)).		D(P
Fh e e th l m kj	F_m	K h f g F.	.			.)		Gf
Fh e m Lg d m k	F_l	K h f g F/	,)			.)		Gf
P b am Fh e						.)		

21







